

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.







62,31

U. I. 3. R. 2.



1032,

# **Wild Flowers**

## **Ferns and Shrubs of Western Kentucky**



Condition of soil, moisture, and light are given as found naturally, and if followed approximately will give the best results.



Prices: A uniform price of 25c each, or \$2.00 per dozen, unless otherwise noted. Orders amounting to \$2.50 or more (except for shrubs) prepaid anywhere in U. S. A. Smaller orders should be accompanied by 10 per cent. for postage.



# **MISS EFFIE RUNNER**

**RICHELIEU, KY.**





*Actea Alba* (White Baneberry) 1 to 2 ft. Shade. Sandy loam.

*Anemone Thalioides* (Rue Anemone). Clusters of white flowers. Acid soil, shade.

*Apios Tuberosa* (Wild Bean). Climbing Vine, 4 to 5 feet. Lowland. Maroon flowers.

*Aquilegia Canadensis* (Wild Columbine). Reddish outside, yellow within. Moist sandy loam. A rock plant, 35c.

*Aristolochia Macrophylla* (Dutchman's Pipe Vine), 10 to 40 ft. Dull greenish yellow. Woods loam.

*Asclepias Tuberosa* (Butterfly Weed). Red or orange. Full sun, 35c.

*Arisema Triphyllum* (Jack-In-the Pulpit). Shade. Best in moist loam.

*Asarum Canadense* (Wild Ginger) Good bedding plant. Flower, dull maroon. Shade.

*Claytonia Virginica* (Spring Beauty). Sand loam, partial shade.

*Chamaelirium Luteum* (Fairy Wand). Spike of feathery white flowers. Shade, sandy loam, 35c.

*Delphinium* (Wild Larkspur). Violet blue. Lowland.

*Dentaria Diphylla* (Crinkle Root or Tooth-Wart). Rich woods, early, white. *D. Laciniata*, cut tooth-wart, pink or white.

*Dodecatheon Media* (Shooting Star), 12 to 15 inches, moist sandy loam. Nodding white flower. Very attractive, 40c.

*Erythronium Americanum* (Dog's Tooth, Violet, Fawn Lily). Moist loam, shade, yellow.

*Eupatorium Agertoides*, 2 to 3 ft; heads of handsome pure white flowers.

*Geranium Maculatum* (Crane's Bill). Hilly slopes; pinkish lavender. Early.

*Hepatica Triloba*. Very early, white or pink. Moist woody soil. Shade.

*Houstonia Coerulea* (Bluets, Quaker Ladies). Dainty little plants. Acid soil. April to May. Clump 20c.

*Hymenocallis Occidentalis*. Sometimes called Spider Lily, but really an *Amaryllis*. Large, white flower. Sandy loam. Bulbs 50c and 30c.

*Iris Cristata* (Crested Iris). Shade or partial sun. Sandy soil. Lavender 25c. Deep blue 35c. Slightly tinted 35c.



*Mertensia Virginica* (Blue-Bells). Flower clusters blue, pink in the bud. Shade. Rich sand loam.

*Mitchella Repens* (Partridge Berry). Trailing evergreen plant. Flower, white within, pinkish outside. Shade.

Orchid *Aplectrums* (Adam and Eve). Evergreen leaf, crimson underneath, solid bulb, one each year. Good for bedding.

*Penstemon* (Unidentified) 2 to 3 feet. Pinkish lavender, also deeper lavender type, 35c.

*Polygonatum Biflorum* (Solomon's Seal). Shade; loamy soil.

*Phlox Divaricata* (Wild Sweet William), 9 to 18 inches. Sandy loam. Pink or lavender, sometimes blue.

*Phlox Paniculata*, 2 to 4 feet. Large panicles of pink flowers. Moist loam.

*Polemonium Reptans*. Fern like foliage; bell-shaped blue flowers. Moist gravelly loam, 40c.

*Saxifrage* (Unidentified). Clusters of small white flowers in early spring. Rocky cliffs. Moist. Good for walls.

*Sedum Ternatum*. Spreading and rooting stems. Triangular sprays of pinkish blooms. Lowlands.

*Senecio Aurens* (Golden Ragwort). Bright yellow clusters of flowers. Moist loam.

*Silene Virginica* (Fire Pink). Crimson. Open woods, 30c.

*Smilacina Racemosa* (Wild Spike-nard). Terminal clusters of feathery white flowers. Red berries in fall. Woods loam.

*Spigelia Marilandica* (Pink Root). Corolla red outside, yellow within. Shade. Limy soil.

*Trillium Erectum* (Wake Robin). Purplish red. Moist woodland.

*Viola Palmata*. *Viola Scabrinscula*, smooth yellow. *Viola*, white, each 15c. Dozen \$1.00.

#### FERNS

*Adiantum Pedatum* (Maiden Hair). Shade. Deep rich soil of gravel and leaf mold. 35c.

*Asplenium Acrostichoides* (Silvery Spleenwort). Rich gravelly soil, but indifferent as to acid. 50c.

*Asplenium Agustifolium* (Narrow Leaved Spleenwort) 2 to 4 ft. Circumneutral soil. 50c.

*Asplenium Platyneuros* (Ebony



Spleenwart). Rather indifferent as to soil. Fine for rock gardens. 25c.

*Asplenium Felix Femina* (Lady Fern). Stems pink or dark red. Any good soil. Another form of this has green stems. Either form for 30c.

*Onoclea Sensibilis* (Sensitive Fern) 1 to 2 ft. Moist sandy soil. 25c.

*Phegopteris Polypodioides* (Long Beech). Sandy leaf mold. Do not plant too deeply. 25c.

*Polystichum Acrostichoides* (Christmas Fern). Any good soil, but prefers moist sandy loam and shade. 25c.

Variety *Incisum* of the above. A larger, more deeply pinnate fern and rather rare. 35c.

#### SHRUBS

Mailing size of any of the following, 50c each:

*Benzoin Aestivale* (Spice Bush).

*Ceris Canadensis* (Red Bud or Judas Tree).

*Cornus Florida* (Flowering Dogwood).

*Corylus Americana* (Hazelnut).

*Rosa Species* (Pink Wild Rose).

*Rosa Species* (Dwarf, Pale Pink).

*Sambucus Canadensis* (Elder).

*Viburnum* (Arrow Wood).

*Wild Hydrangea* (Unidentified).

Plants and Bulbs other than native:

*Belamcanda Chinensis* (Blackberry Lily). An iris like plant. Small orange colored flowers. Sun. Limy soil. 25c.

*Dicentra Spectabilis* (Bleeding Heart). A beautiful, early bloomer. Rich loam. 35c.

*Dicentra Cucullaria* (Dutchman's Breeches). A dainty little early flower. Likes an eastern slope, sandy loam. Each 10c. Dozen \$1.00.

Hyacinths, white, 15c.

Hyacinths, Pink, 20c.

Hyacinths, Blue, 10c.

*Iris Pumila* (Dwarf Iris). Very early. Deep violet. 25c.

*Lilium Tigrinum* (Old Fashioned Tiger Lily). A favorite in many gardens. 25c.

Violets, sweet scented. If protected will bloom from November until May. Each 10c or Doz. \$1.00.

Western Bleeding Heart. Fern like foliage, purplish pink, heart shaped flower. From the Pacific Coast. 25c.







